




Don't Compromise Your Security

Get an ABLOY® Lock on YOUR Investment!



Get a Lock on the Complete Range of ABLOY® Vending Security Solutions

Revenue Protection

With the ABLOY® Maximum Security Locking System, you will increase asset security, lock longevity and ease of use while significantly reducing administration and maintenance costs. ABLOY® Vending and Bottling Security Solutions “fit right in,” requiring no additional modifications.

ABLOY® offers extremely affordable locking solutions for your vending related security needs. Increasing lock life-cycle, minimizing loss due to theft or maintenance, and maximizing the amount of money you take to the bank are just a few examples how ABLOY® can help you with your return on investment.

Key Control

The unique ABLOY® EXEC rotating detainer disc cylinder mechanism offers extensive possibilities with over 300 million different key codes available. Each key code is exclusively assigned. All ABLOY® cylinder product models can be made to operate with just one key. ABLOY® EXEC, as a key control solution, is protected by patents world wide. Key duplication is available only through authorized ABLOY® Service Centers. The ABLOY® EXEC key is extremely difficult to copy key cuts or impression.

For additional key control, ABLOY® offers the FX Series - locking key ring padlocks enabling extra control of your route keys.

Physical Security

The heavy duty construction of ABLOY® locks provide maximum resistance against physical attack. The unique design provides virtually pickproof locks. The hardened, free spinning protection plate helps to prevent drill bits from penetrating the lock. ABLOY® locks are key-retaining while unlocked to prevent leaving the site before re-locking. In addition, these locks are re-keyable in the event of key loss or theft.


Environmental Durability

The unique materials and surface treatments used by ABLOY® guarantee that the corrosion resistance of both the visible parts of each lock as well as the internal parts are at a superior level. ABLOY® locks are widely used by the government, utilities and national transportation organizations since all the component parts are highly resistant to wear, dirt, moisture, corrosion and freezing. Additionally, ABLOY® cylinders feature spring free construction preventing the locks from jamming. ABLOY® locks are recommended as the best products for all types of weather ranging from freezing to coastal.

ABLOY® T-handle Cylinders & Cam Locks

ABLOY® T-handle cylinders provide maximum resistance to pulling. This heavy duty design features a precision steel latch that provides over 4,000 pounds of pull strength, far surpassing the strength of ordinary die-cast latches. The extra-thick, case hardened steel sunken face resists extensive drilling. In addition, the keyway is constructed of hardened steel and provides added protection to the face of the lock. This design allows the option of a standard spring latch (CL290E) or an optional dead latch (CL291E). ABLOY®

T-handle cylinders fit all NAMA specified T-handles. ABLOY® also offers High Security CL-Series Cam Locks in the sizes listed.




Model	A	B	C	Material
CL200	1/4 in.	1-1/8 in.	3/4 in.	CHS
CL201	1/4 in.	1-1/8 in.	3/4 in.	CPB
CL202	1/4 in.	1-1/2 in.	1-1/8 in.	CPB
CL203	1/4 in.	1-1/4 in.	7/8 in.	CPB

CHS: Case Hardened Steel CPB: Chrome Plated Brass

ABLOY® Padlocks

ABLOY® Padlocks offer a level of performance and protection which remains unsurpassed. These padlocks are highly resistant to physical attack and tampering, providing dependable durability even when used in harsh environmental conditions. The high level of key control proves extremely important for asset protection.



ABLOY® Padlocks provide ideal locking solutions for the varied needs in the bottling and vending industries. These padlocks are backed by a Lifetime Functional Warranty. Collared Chain attachments are available in 12 or 18 inch length options with the PL330, PL340, and PL341 models providing maximum chain strength and freely-spinning collar allowing for larger range of motion during padlock use.

Model	Shackle Thickness	Shackle Height	Shackle Leg Distance	Description
PL321	13/64 in.	25/32 in. or 2 in.	45/64 in.	Body: Brass with Chrome finish Shackle: Stainless Steel with Chrome finish
PL330	5/16 in.	1 in. or 2 in.	1 in.	Body: Brass with Chrome finish Shackle: CHBS with Chrome finish
PL340	25/64 in.	1 in. or 2 in.	1-1/8 in.	Body: CHS with Chrome finish Shackle: CHBS with Chrome finish
PL341	25/64 in.	1 in. or 2 in.	1-1/8 in.	Body: Brass with Chrome finish Shackle: CHBS with Chrome finish
PL342	25/64 in.	1 in.	1 in.	Body: CHS with Chrome finish Shackle: CHBS with Chrome finish
			CHS: Case Hardened Steel	CHBS: Case Hardened Boron Steel

ABLOY® Maximum Security Vending Hasp Solutions

The ABLOY® Shut-out Hasp (PL299) and Puck Hasp (PL700) are made of cold-rolled steel with electro-plated black finish to visually blend in with the physical appearance of vending machines. The hasps are designed to restrict prying and exterior access to the bill acceptor. The covered portion of the hasp protects the concealed shackle and lock body, while allowing authorized personnel easy access. In addition, the design allows for quick and easy installation, using existing holes in the machine door. The ABLOY® Shut-Out Hasp is designed to be used in conjunction with ABLOY® PL340/25 and PL341/25 Maximum Security Padlocks. The ABLOY® Puck Hasp is designed to be used in conjunction with the ABLOY® Puck Lock (PL975).



ABLOY Puck Hasp & Puck Lock

The ABLOY® Puck Lock features the ABLOY® EXEC patent protected key system with the cylinder embedded in a solid, machined steel lock housing. The housing protects the concealed shackle and lock cylinder, with strength unmatched by other locks that use aluminum, die-cast zinc or brass. The Puck lock is easy to re-lock since the key is not required. Simply push the cylinder into the lock body until securely latched.

ABLOY® FX Series Key Ring Padlocks

ABLOY® FX Series offers a unique additional feature to the existing level of performance and protection. The FX Key Ring Padlocks are ideal locking solutions for route key control. Once locked, keys cannot be removed from the cable without an authorized key to open the lock. ABLOY® FX Series provide optimum protection when issuing keys to employees.

Model	Cable Length	Description
FX321/06	6 in.	Lock body: Face width = 1-5/16 in. Face height = 1-1/2 in, Side width = 3/4 in. Padlock cable is constructed of plastic coated stainless steel.
FX321/09	9 in.	
FX321/15	15 in.	
FX321/21	21 in.	



ABLOY® Industrial Locks

ABLOY® is a leading supplier of High Security locks worldwide and a leading supplier of locks in the United States and Europe. ABLOY® places strong emphasis on product development to create economical solutions for every locking need. ABLOY® locks are manufactured to strict quality standards in ISO-9001 Certified facilities.

ASSA ABLOY

The ASSA ABLOY Group is the world's leading manufacturer and supplier of locking solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ABLOY SECURITY, INC.

Extreme Solutions for Extreme Challenges!

6005 Commerce Drive, Suite 330

Irving, Texas 75063

Phone: (972) 753-1127

Fax: (972) 753-0792

Internet: www.abloyusa.com

e-mail: info@abloyusa.com

TOLL FREE 1-800-367-4598