

DECLARATION OF PERFORMANCE

No. 1057

MANUFACTURER:

Abloy Oy
Joensuu factory
 Wahlforssinkatu 20
 FI-80100 Joensuu
 FINLAND

System or systems of assessment and verification of constancy of performance of the construction product:
AVCP 1

NOTIFIED PRODUCT CERTIFICATION BODY:

VTT Expert Services Ltd
ID No: 0809
 P.O.Box 1001
 FI-02044 VTT
 FINLAND

Notified product certification body performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of the factory production control and continuous surveillance, assessment and evaluation of factory production control and issued the certificate of constancy of performance of the product.

No. **0809-CPR-1159**

PRODUCT AND DESCRIPTION

Electric lock types:
 EL560L, EL562L, EL564L

Category of use	3	Doors in public buildings	EN 14846: 2008
Durability and load on latchbolt	R	100 000 cycles with 50 N sideload	
Door mass and closing force	5	up to 200 kg closing force max. 25 N	
Suitability for use on fire/smoke doors	D	El60 fire doors	
Safety	-	see EN 179 and EN 1125	
Corrosion resistance, temperature and humidity	H	96 h, -10°C to +55°C, level 1	
Security	6	Very high security, no drill resistance	
Security - electrical function	1	Indication	
Security - electrical manipulation	1	Grade 1	
Dangerous substances	The materials used in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations.		

Joensuu 2016-01-05
 On behalf of Abloy Oy, Electric Locks



Minna Sallinen
 Vice President