

ABLOY® ELECTRIC LOCKS

HANDLES & ESCUTCHEONS

Trusted for a Reason



Specifying the right handle is half the lock.

Abloy® electric locks are engineered to be paired with specific handle and escutcheon furniture. The combinations on the following pages are tested, approved and supported by Abloy UK.

Using non-approved furniture can compromise EN179, EN1125 and EN1634-1 compliance, and may invalidate the certification of the door set as a whole.

This guide is a companion to the Abloy UK Electric Locks catalogue and should be read alongside it. If you are specifying a new door set, start with the lock case, then cross-reference the handle and escutcheon options in the tables that follow.

Reading the tables

The checkmark (✓): indicates that the handle or escutcheon in that row is compatible with the lock code in that column. An empty cell means the combination is not listed.

Spring cassette: the Y / N column shows whether the handle includes a spring cassette.

Fixing centres: the centre-to-centre dimension between the fixings on the rose or plate.

Footnote markers: the symbols *, ** and # refer to the notes printed beneath each table.

Notes that apply throughout

Multipoint versions of all locks use the same furniture as their single-point version (e.g. EL566 uses the same furniture as EL560).

Forum 4 and Polar 6 versions of the Inoxi handles are available in multiple finishes along with matching Euro Profile escutcheons or Finnish cylinder roses.

CH101 and CH102 escutcheons are only available in PZ+PZ version, so all locks using them will require a double Euro cylinder.

	EL460	EL461	EL560	EL561	EL480	EL482	EL580	EL582	EL418	EL518	EL420	EL520	EL432	EL532	EL532HS	EL495 inc. FU & FL Variants	EL590	EL595 inc. FU & FL Variants	Spring Cassette Included	Fixing Centres
FUTURA Lever on Rose - DO NOT USE FUTURA HANDLES WITH EL480, EL482, EL580 or EL582																				
60-0219										✓		✓					✓	✓	N	30/38mm
60-0319*			✓	✓															N	30/38mm
60-0619			✓	✓															N	30/38mm
FUTURA Lever on Plate																				
60-0119										✓		✓		✓					N	NON STD.
60-0419			✓	✓															N	NON STD.
60-0719									✓		✓		✓						N	NON STD.
60-0819	✓	✓																	N	NON STD.
INOXI Lever on Rose																				
3-19/030-SSS																	✓	✓	Y	30mm
3-19/040-SSS EH070										✓		✓		✓	✓#				Y	38mm
3-19/032-SSS							✓	✓											Y	30mm
3-19EXIT/042**			✓	✓															Y	38mm
3-19/0630-SSS																✓			Y	42.6mm
3-19EXIT/0730-NIHA									✓		✓		✓						Y	50mm
3-19/0650-SSS					✓	✓													Y	42.6mm
3-19EXIT/0750-SSS**	✓	✓																	Y	50mm
INOXI Lever on Plate																				
319242/115PZ+BL										✓		✓		✓					Y	38mm
319242/115PZ+PZ										✓		✓		✓	✓				Y	38mm
319242/PZ+BL			✓																Y	38mm
319242/PZ+PZ				✓															Y	38mm
3192750/115PZ+BL									✓		✓		✓						Y	50mm
3192750/115PZ+PZ									✓		✓		✓						Y	50mm
3192750/PZ+BL	✓																		Y	50mm
3192750/PZ+PZ		✓																	Y	50mm
PRESTO Lever on Rose																				
3-20/030																	✓	✓	Y	30mm
3-20/032							✓	✓											Y	30mm
3-20/0630																✓			Y	42.6mm
3-20/0650					✓	✓													Y	42.6mm

IMPORTANT

Do not use FUTURA handles with EL480, EL482, EL580 or EL582.

* Supplied with escutcheons for PZ + BL or PZ + PZ.

** Options available both with and without escutcheons.

These are recommended in conjunction with CH101 escutcheons.

	EL460	EL461	EL560	EL561	EL418	EL518	EL420	EL520	EL432	EL532	EL532HS
ESCUTCHEONS											
LHO42-PZ+BL			✓			✓		✓		✓	
LHO42-PZ+PZ				✓						✓	
LHO75-PZ+BL	✓				✓		✓		✓		
LHO75-PZ+PZ		✓							✓		
CH101			✓	✓		✓		✓		✓	✓
CH102	✓	✓			✓		✓		✓		

CH101 and CH102 escutcheons are only available in PZ+PZ version and so all locks will require a double Euro cylinder.






FUTURA Handles

60-0219



60-0619



60-0419



60-0119



60-0719



60-0819



60-0319



INOXI Handles

3-19/030 & 3-19/040



3192750/PZ+PZ



3192750/PZ+BL



3-19/0630 & 3-19/0730



3-19/032 & 3-19/042




319242




PZ Internal, BL Internal (319242)



319242/115PZ+BL



3192750/115





PRESTO Handles

3-20/030



3-20/032



3-20/0630



3-20/0650





SECURED BY
ABLOY

ABLOY offers security and locking innovations dedicated to creating more trust in the world. Combining digital and mechanical expertise, Abloy Oy develops industry-leading security solutions that protect people, property and business. Abloy is part of the ASSA ABLOY Group, the global leader in access solutions. Every day, we help billions of people experience a more open world.

Abloy UK
Portobello Works
School Street
Willenhall
WV13 3PW
United Kingdom
info@abloy.co.uk
Abloy.co.uk
01902 364500

Abloy maintains Product Security Center at www.abloy.com/securitycenter. We recommend that you check the Center on a regular basis in order to be fully informed of product security updates, so that your knowledge of our products remains optimal.

It is the customer's responsibility to define the required level of security, whilst taking into consideration relevant factors for its operations. To achieve the overall level of security required in the customer's operations multiple layers of security must be in place. These include for example locking system, key management system, access management, CCTV and alarm system as well as physical security in a manner and level specified by the customer.

This content is protected by Intellectual Property Rights Laws. The title to the content shall not pass to you, and instead shall remain with Abloy Oy or a third party holding the title. Abloy develops continuously the products and solutions offered. Therefore, the information contained in the document is subject to change without notice. ABLOY PROVIDES THIS CONTENT ON AN "AS IS" BASIS WITHOUT ANY WARRANTIES OF ANY KIND EXPRESS, IMPLIED, OR STATUTORY."

