

Certificate of Product Approval

Certificate Number: 1245a Issue: 04



Portobello Works School Street Willenhall West Midlands WV13 3PW



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

padlocks

Abloy PL330/25 Abloy PL340/25 Abloy PLI340/25 Abloy PLM340/25 Abloy PLLW340/25 Abloy PL342 Abloy PL601 Ablov PL350/25 Abloy PLI350/25 Abloy PLM350/25 Abloy PLLW350/25 Abloy PLLW362 **Abloy PLLW639** Abloy PL362 Abloy PL645 Abloy PL654 Aboy PL662 Abloy PL660

Standard

LPS 1654: Issue 1

Requirements and testing procedures for the LPCB approval and listing of padlocks

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dilla

Paul Dillon

01 November 2019

Date of Issue

20 August 2014

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com





Appendix to Certificate No: 1245a Assa Abloy Limited T/A Abloy UK

Padlocks

Product Name	Туре	Shackle Clearance (mm)	Compatible Cylinders	Security Rating ¹	LPCB Ref. No.
Abloy PL330/25	Padlock with open shackle	25	D and F to H	1+	1245a/18
Abloy PL340/25	Padlock with open shackle	25	A to D, F and H	2+	1245a/01
Abloy PLI340/25	Padlock with open shackle	25	A to D, F and H	2+	1245a/14
Abloy PLM340/25	Padlock with open shackle	25	A to D, F and H	2+	1245a/15
Abloy PLLW340/25	Padlock with open shackle	25	E and G	2+	1245a/10
Abloy PL342	Padlock with closed shackle	25	A to D, F and H	2+	1245a/02
Abloy PL601	Padlock with open shackle	20	B, D, F and H	2+	1245a/05
Abloy PL350/25	Padlock with open shackle	25	A to D, F and H	3+	1245a/03
Abloy PLI350/25	Padlock with open shackle	25	A to D, F and H	3+	1245a/16
Abloy PLM350/25	Padlock with open shackle	25	A to D, F and H	3+	1245a/17
Abloy PLLW350/25	Padlock with open shackle	25	E and G	3+	1245a/11
Abloy PLLW362	Padlock with closed shackle	25	E and G	3+	1245a/12
Abloy PLLW639	Padlock with open shackle	25	E and G	3+	1245a/13
Abloy PL362	Padlock with closed shackle	25	A to D, F and H	3+	1245a/04
Abloy PL645	Padlock with shackle protector	22	A to D, F and H	3+	1245a/06
Abloy PL654	Padlock with shackle protector	22	A to D, F and H	3+	1245a/07
Abloy PL662	Padlock with closed shackle	25	D, F and H	3+	1245a/09
Abloy PL660 ²	Padlock with closed shackle and hasp and staple	25	D, F and H	4+	1245a/08

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dilla

Paul Dillon Verifier 01 November 2019

Date of Issue

20 August 2014

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com





Issue: 04



Appendix to Certificate No: 1245a Assa Abloy Limited T/A Abloy UK

Compatible Cylinders

Cylinder reference	Manufacturer	Model	'Plus' rating¹
А	Abloy	Disklock Pro	+
В	Abloy	High Profile	+
С	Abloy	Novel	+
D	Abloy	Protec	+
Е	Abloy	Protect Cliq / Cliq Remote	+
F	Abloy	Protec2	+
G	Abloy	Protec2 Cliq / Cliq Remote	+
Н	Abloy	Sentry	+

Notes:

- 1. A 'Plus' rating demonstrates the padlock also meets the requirements defined in Annex A.6 of BS 3621:2007+A2:2012 or manipulation resistance class '1' defined in LPS 1242: Issue 2.
- 2. The Abloy PL660 consists of an Abloy PL662 padlock fitted to either an Abloy PL201 or Abloy PL203 hasp and staple. This product only achieves the security rating noted when the padlock and hasp and staple are used together in accordance with the instructions detailed in the document 'Fitting Instructions of PL662 & PL201/203 Hasp and Staple Abloy PL660' (dated 15 July 2014, Rev 1).
- 3. The padlocks are only approved when bearing an alpha-numeric code denoting the date of manufacture as December 2013 or later.
- 4. It is recommended that padlocks are fitted to staples, hasps or other devices that offer at least comparable resistance to attack as that afforded by the padlock.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillo

Paul Dillon Verifier 01 November 2019
Date of Issue

20 August 2014

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: <u>Enquiries@breglobal.com</u>





Issue: 04